

Professional UHF Wireless Microphone



innovative • versatile • affordable

UX-4P

Professional UHF Wireless Microphone



FEATURES

- Oscillation Mode: IVA Quartz Controlled Fixed Frequency
- UHF Fixed Frequency
- Fluorescence Display to monitor Frequency and Audio Signal
- Built-in dual squelch circuit to reduce interference
- Low distortion and near-zero output on standby
- Modern audio compounder preserving tone quality

SPECIFICATION

RECEIVER	
Frequency Range	619.150 – 796.850 Mhz
Oscillation Mode	Quartz Controlled Fixed Frequency
Carrier Wave Stability	10 PPM
Sensitivity	-105dB @ sinad=12 dB
S/N Ratio	>105dB
T.H.D	<0.5% @1 kHz
Image Rejection	85 dB typical
Spurious Rejection	75 dB typical
Frequency Responses	40Hz - 18kHz
Working Distance	30 meters at empty space
Squelch Control	Dual Squelch Circuit
AF Output Impedance	2.2 kohm
Max Output Level	Balance: 0-400mv, Unbalance: 0-200mv
Display	LED
Power Supply	External DC Power Supply, 0.35A, 12-18V DC
Output Connector	2 × XLR Balanced Socket, Unbalanced TRS
Dimension (mm)	420 (W) × 45 (H) × 195 (D)
Weight (KG)	2.1
TRANSMITTER	
Frequency Range	619.150 - 796.850 Mhz
Transmitter Power	30mW
Spurious Emission	<40dB (with carrier)
Display	LED
Battery Voltage	1.5V × 2
Battery Life	5 hours depends on usage



H2 / VOCAL



L2 / PRESENTER

